Subject Index

A

Acid phosphatases, of wild barley, 212
Actin gene subfamilies, of *Petunia*, 341
Actinomycin D, as a counterstain, 468
Adenosine deaminase, gene localization, 111
Aedes triseratus, enzyme loci, 101
Aegilops squarrosa, root-knot nematode resistance, 170
African murids
  chromosomal evolution, 58
  liver proteins, 58
Alfalfa
  irregular dwarf trait inheritance, 397
  β-tubulin, 480
Allium shoenoprasum,
  see Chives
Alloantigenicity, multifactorial inheritance, 96
Allozyme
  inheritance in poplar trees, 301
  variation in *Cuphea*, 352
Anser anser,
  see Geese, domestic
Apomictic reproduction, oat, 478
Apyrene spermatogenesis, in *Ostrinia nubilalis*, 72
Arabian horse, inheritance of white markings, 250
Arabian Horse Registry of America, Inc., 251
Arginine kinase, evolution rate, 177
Aromatase activity, 107
Ascomycete fungi, perithecia pigmentation mutants, 189
Avena sativa,
  see Oat
Avocados
  chloroplast genome, 183
  phylogenetic relationships, 183

B

Backcross genetic linkage analysis, computer program, 490
Bancroft's filariasis, insect vector, 166
Barley
  coevolution with scald fungus, 1
  telotrisomic analysis, 127
Barley, wild
  acid phosphatase gene, 211
  peroxidase locus, 211
Bean rust fungus
  characteristics, 134
  linkage of isozyme loci, 134
Blueberry
  anthocyanin-deficient mutants, 198
  haploids, 198
Brain
  endocasts of, 52
  heritability of morphology, 51
  relationship of size to evolutionary change, 51
Brassica campestris, N-nitroso-N-methylurea-induced mutagenesis, 214

C

C-banding patterns
  of domestic avian species, 468
  of *Hyoscyamus muticus*, 401
C8α-γ deficiency, in rabbits, 413
Cellulase gene, restriction fragment length polymorphisms of, 183
Ceratitis capitata,
  see Mediterranean fruit fly
Chickens, reproductive fitness, 217
Chickpea, inheritance of isozyme coding genes, 455
Chives, postmeiotic mitosis, 399
Chlorophyll-deficient mutants
  of pearl millet, 159
  of soybean, 404
Chloroplast
  avocado, restriction fragment length polymorphisms in, 183
  inheritance
    maternal, 168
    of mutations in fern, 146
    in spruce, 443
Chondrodystrophy mutation, 222
Cicer,
  see Chickpea
Citrullis, linkage map, 163
Cluster analysis, computer program, 87
Coevolution, host-pathogen, 1
Columbia livia domestica,
  see Pigeon, domestic
Computer programs
  for backcross genetic linkage analysis, 490
  to calculate Nei's genetic diversity, 234
  to calculate Nei's genetic distance indices, 234, 490
  to calculate population size needed to recover individuals with a trait, 407
  to calculate Wright's *F* statistics, 234
  for cluster analysis, 87
  for constructing evolutionary trees from restriction endonuclease data, 491
  for data transformations, 173
  for mapping quantitative trait loci, 234
  for Mendelian segregation and linkage analysis, 407
  for plant mating systems, 234
Corn
  elite inbreds, 20
  genetic and cytogenetic markers, 19
  races, 18
  varieties, 19
Cotton
  fiber mutant, 131
  hybrid lethality system, 193
  nucleolar organizer region, 365
  pest resistance, 447
  terpenoids among species of, 447
Coturnix japonica,
  see Japanese quail
Counterstain-enhanced fluorescence, to characterize avian heterochromatin, 468
Crassostrea virginica,
  see Oyster
Cucumis melo,
  see Muskmelon

Culex quinquefasciatus
larval pigmented head capsule mutant, 205
yellow larva mutant, 166
Cuphea, allozyme variation, 351
Cystic ovary development, heritability, 165
Cytokinesis, failure of, in potatoes, 371
Cytoplasmic male sterility, in potatoes, 438

D

Data transformations, computer program, 173
Deletion mapping, in maize, 362
Depigmentation, of hair, 309
Dicentric inversion loops, 141
Drosophila
arginine kinase evolution, 177
arizonae, characteristics, 39
navojoa, characteristics, 40
repleta species group
Adh mapping, 83
phylogeny of *mojavensis* cluster, 30
Durum wheat,
see Wheat, Durum

E

Embryo sac development, in oat, 478
Enzyme loci, linkage maps for *Aedes triseriatus*, 101
Erythrocyte protein-1, polymorphic distribution in sheep, 206
Eupyrene spermatogenesis, in *Ostrinia nubilalis*, 72
European corn borer,
see Ostrinia nubilalis
Evolutionary trees, computer program for constructing, 491
Extant polymorphism, of arginine kinase, 177

F

First-division restitution, 371
Flanking molecular markers for mapping quantitative trait loci, 234
Fern, clumped-chloroplast mutant, 147
Fescue, tall (*Festuca arundinacea*)
chromosome pairing, 156
chiasma frequency, 156
Foliar pigment glands, in cotton, 447

G

β-Galactosidase deficiency, 245
Gansu argali, chromosomal evolution, 227
G-band
homology, rodent and human chromosomes, 111
nomenclature, 80
patterns, wild sheep, 227
techniques
in African murids, 59
R-band comparison, 80
Geese, domestic, heterochromatin characterization, 468
Gene banks, management, 7
Gene flow
among Hessian fly biotypes, 332
in sweet potato, 462
GENE-LINK computer program, 490
Genetics education
recommendations, 155
survey of courses, 153
Genetic stocks
compared with germ plasm stocks, 11
management, 8
most used, 15
use of, 12
Germplasm Resources Information Network, 8
Germ plasm stocks
used for breeding, 15
management, 14
Gibberella fujikuroi (*Fusarium moniliforme*), perithecia pigmentation mutants, 189
Gleditsia triacanthos,
see Honey locust
Glycine max,
see Soybean
GMENDEL computer program, 407
Gossypium hirsutum,
see Cotton

H

Haploids, use of twin seedlings to obtain, 198
Haplosporidium nelsoni,
see MSX
Hatchability, in chickens, 217
Heliothis, backcross sterility, 66
Henny feathering trait, 107
Hessian fly
allozyme variation, 331
resistance to, 224
Heterokaryons, in ascomycete fungi, 189
Heterozygosity, maintenance in selectively bred oysters, 418
Histocompatibility, invertebrate, 96
Holstein cattle, cystic ovary development, 165
Homogeneously staining regions, double insertion, 91
Honey locust, genetic control of sex, 230
Hordeum chilense,
see Barley, wild
Hordeum vulgare,
see Barley
Horse, Arabian,
see Arabian horse
Horse, inheritance of leopard complex spotting, 323
Host-pathogen coevolution, 1
Host-resistance alleles, detrimental effects of, 3
Hybrid lethality systems, in cotton, 193
Hyoscyamus muticus, C-banded karyotype, 401

I

Inbreeding depression, 257
Induced mutants, of M_1 opium poppies, 347
In situ hybridization
of Chinese hamster chromosomes, 111
of 5S rRNA in wheat, 290
of meiotic chromosomes in cotton, 366
of β-tubulin in alfalfa, 480
Inversion analysis, of *Drosophila repleta*, 30
Inversion loops, pachytene, 139
Ipomoea batatas,
see Sweet potato
Ipomoea trifida, 2*n* pollen, 462
Isozyme
electrophoresis of fibroblast proteins of of orang utan subspecies, 378
inheritance
in chickpea, 455
in *Liquidambar*, 393
of polyphenol oxidase in potato, 475
in poplar trees, 301
markers, in *Citrullis*, 162
variability
in bean rust fungus, 134
in *Liriodendron*, 317
in stone fruits, 68

J

Japanese quail, chondrodystrophy mutation, 222

K

Karyotypes, use of C-banding to identify, 401

L

Lathyrus odoratus,
see Sweet pea
Lentil (*Lens culinaris* spp.), seed coat color, 484
Leopard complex of spotting patterns, 323
Linkage analysis, computer program, 407
Liquidambar, isozyme inheritance, 393
Liriodendron, isozyme variability, 317
Luster gene, inheritance in sheep, 220
Lysosomal storage disease, in sheep, 245

M

Macaca mulatta,
see Rhesus macaques

Maize, *r-X1*-generated deficiencies, 359
Mayetiola destructor,
see Hessian fly
Medicago sativa,
see Alfalfa
Mediterranean fruit fly
genetic sexing system, 75
v-wing allele, 76
Meiosis, classroom study of, 399
Meiotic mutants, in potatoes, 371
Melanocyte-stimulating hormone, effect on coat-color mutants, 309
Meleagris gallopavo,
see Turkey
Mendelian segregation, computer program, 407
Metaxenia, in raspberries, 434
Microcomplement fixation, to estimate immunological differences, 177
Mitomycin C-induced sister chromatid exchange, in cows, 78
Molecular cytogenetic analysis, of cotton, 366
Monocentric inversion loops, 141
Mouse, see also *Peromyscus* mouse; *Mus mus musculus*
obesity mutations, 424
palate-tail-digits mutation, 388
patchy fur mutation, 43
ulnaless mutation, 151
MSX, resistance of oysters to, 418
Muskmelon, delayed lethal gene, 210
Mus mus musculus, chromosome 1, 91

N

Nei's gene diversity, computer program, 234
Nei's genetic distance indices, computer program, 234, 490
Nematodes, wheat resistance to, 170
α-Neuraminidase deficiency, 245
Nicotiana, somatic hybridization, 313
N-nitroso-N-methylurea, chloroplast mutagenicity of, 214
Nucleolar organizer region, in cotton, 369

O

Oat, apomixis, 478
Obesity syndromes, in mice, 424
Oilseed crops, allozyme variation in, 351
Oncorhynchus,
see Pacific salmon
Opium poppy
induced mutants, 347
morphophysiology, 347
Orang utan, genetic divergence of subspecies, 375
Ostrinia nubilalis
apyrene spermatogenesis, 73
diapausing strains, 73
Ovis ammon jubata,
see Gansu argali
Ovis karyotypes, evolution, 227
Oyster
maintenance of heterozygosity, 418
selective breeding for MSX disease resistance, 418

P

Pacific salmon
effective population size, 277
loss of genetic variability, 267
Papaver somniferum,
see Opium poppy
Paracentric inversion loops, 139
Partial monosomes, in maize, 359
Patchy fur gene, in mice, 43
Pathosystems, coevolution, 1
Pea
leaf development mutants, 117
resistance to potyviruses, 143
Pearl millet (*Pennisetum glaucum*)
chlorophyll-deficient mutants, 159
gene pools, 26
seed proteins, analysis, 25
Pericentric inversion loops, 139
Peromyscus mouse
coat color mutation, 309
inbreeding depression, 257
Peroxidase genes, in wild barley, 213
Persea,
see Avocado
Petunia hybrida, location of actin genes, 341
6-Phosphogluconate dehydrogenase isozyme, in honey locust, 230
Picea,
see Spruce
Pigeonpea hybrids, inversion loops in, 139
Pigeon, domestic, heterochromatin characterization, 468
Pisum sativum,
see Pea
Plant mating systems, computer programs for estimating, 234
Ploidy levels, in sweet potatoes, 462
Polyacrylamide gel electrophoresis
of pea proteins, 117
of sheep erythrocyte protein-1, 206
Polyphenol oxidase isozymes, inheritance in potato, 475
Pongo pygmaeus,
see Orang utan
Poplar trees (*Populus*), allozyme inheritance, 301
Population size, computer program, 407
Potato
cytoplasmic male sterile seed parents, 438
2*n* egg formation, 371
tetraploid × diploid crosses, 208
Potato, wild
glandular trichomes, 475
pest resistance, 475
Potyviruses, resistance to, 143
Praomys sensu lato,
see African murids
Prolamin polymorphism, 26
Protoplast fusion, 438

Q

Quantitative trait loci, computer program, 234
Quasiquantitative inheritance, opium poppy mutants, 347

R

Rabbit
heredity of Cα-γ deficiency, 413
dwarfism, 413
Raimondal, 447
Raspberry, xenic tendencies in cross pollination, 434
Reproductive capabilities, selection of, 217
Resistance alleles, in host populations, 1
Restriction fragment length polymorphisms
in chloroplast genes
of avocado, 183
of Saxifragaceae, 168
of spruce, 443
in *Petunia* actin genes, 341
Rhesus macaques, heritability of brain size, 51
Rheumatic fever, susceptibility ascertainments, 428
Rhynchosporium secalis,
see Scald fungus
Rubus idaeus,
see Raspberry
r-X1 deletion, characterization of, in maize, 359

S

Saxifragaceae, chloroplast genome, 168
Scald fungus, coevolution with barley, 1
Second-division restitution, 371
Sheep
karyotypes, see *Ovis* karyotypes
lysosomal storage disease, 245
red blood cell protein character, 206
wool luster mutations, 220
Solanum berthaultii,
see Potato, wild
Solanum tuberosum,
see Potato
Somatic hybridization, without selection, 313
Soybean
alcohol dehydrogenase locus, 488

analysis of linkage group 5, 402
chlorophyll-deficient mutants, 404
sterile mutations, 296
variegated leaf mutations, 123
Spotting patterns, in horses, 323
Spruce, paternal inheritance of plastids, 443
Starch gel electrophoresis
of *Cuphea*, 351
of *Liquidambar*, 393
Sterility mutations, soybean, 296
Styela plicata, histocompatibility, 96
Sweet pea
dwarf and semidwarf mutants, 201
internode length genes, 201
Sweet potato, see also *Ipomoea trifida*
ancestors of, 462
polyploid series, 462

T

Telotrisomic analysis, of barley, 127
Terpenoids, introgression in cotton, 447
Transferrin, gene localization of, 111
Transforming growth factor-B, role in development, 391
Trichomes, glandular, in wild potato, 475
Triticum aestivum,
see Wheat
Turkey, heterochromatin characterization, 468
Twin seedlings
haploids in, 198
in oat, 478

U

Uridine monophosphate synthetase, gene localization of, 111
Urochordates, histocompatibility, 96
Uromyces appendiculatus,
see Bean rust fungus

V

Vaccinium,
see Blueberry

W

Watermelon,
see Citrullis
Wheat
5S rRNA multigene family, 290
Hessian fly resistance, 224
Wheat, Durum
Hessian fly resistance gene, 71
Wright's *F* statistics, computer program, 234
Wuchereria bancrofti, insect vector, 205

X

X-linked mutations, in mice, 388

Z

Zymogram analysis, of wild barley, 211

Author Index

A

Abbott, U. K., 222
Aggundey, I. R., 58
Ahern-Rindell, A. J., 245
Alaks, G., 257
Allard, R. W., 1
Altman, D. W., 447
Amri, A., 71, 224
Anthony, N. B., 217
Appa Rao, S., 159
Arroyo-Cabrales, J., 58
Ashmawy, A. A., 165
Asmussen, M. A., 239
Aviv, D., 438

B

Baertlein, B. A., 87
Baertlein, D. A., 87
Baird, W. V., 341
Baker, R. J., 58
Bamberg, J. B., 475
Barra, J., 388
Bauchan, G. R., 480
Bell, A. A., 447
Bergey, D., 365
Bernard, R. L., 404
Bigelbach, A., 468
Bingham, E. T., 397
Black, W. C., IV, 331
Blair, H. T., 220
Borodin, P. M., 91
Brewer, B. A., 257
Bridges, W. C., Jr., 234
Briscoe, D. A., 96
Britten, E. J., 139
Bruckner, P. L., 478
Bunch, T. D., 207, 227
Byrne, D. H., 68
Byth, D. E., 139

C

Carr, G., 323
Cattanach, B. M., 151
Chaisrisook, C., 189
Chauhan, S. P., 347
Chen, C.-C., 313
Cheverud, J. M., 51
Clegg, M. T., 183
Colbert, S., 434
Coleman, D. L., 424
Collier, G. E., 177
Cooper, D., 497
Cox, T. S., 71, 224
Crane, C. F., 156
Crossland, J. P., 309
Crusio, W. E., 173
Cummings, M. P., 183

D

Das, C. C., 166, 205
Das, M. K., 166, 205
Davisson, M. T., 43, 151
Dawson, W. D., 309
de Oliveira, D., 434
de Vienne, D., 117
Di Meo, G. P., 78
Dundas, I. S., 139
Dunnington, E. A., 217
Dweikat, I. M., 198

E

Earle, E. D., 214
Eicher, E. M., 424
Erdo, T. R., 290

F

Falk, D., 51
Farrow, A. C., 146
Fernández, J. A., 211
Ferrara, L., 78
Fontdevila, A., 83
Foote, W. C., 206
Ford, S. E., 418
Foster, M. L., 257
Freyre, R., 462
Furnier, G. R., 183

G

Galun, E., 438
Garverick, H. A., 165
Gaur, P. M., 455
Gentzbittel, L., 491
George, F. W., 107
Gerats, A. G. M., 341
Gill, B. S., 71, 224, 290, 401
Goldman, D., 375
Goodman, M. M., 11
Gordon, G. H., 139
Gorlov, I. P., 91
Gottlieb, L. D., 117
Groth, J. V., 134
Gyles, N. R., 494

H

Hadder, K. M., 407
Hamrick, J. L., 230
Hanna, W. W., 25, 478
Haskin, H. H., 418
Hatchett, J. H., 71, 224, 331
Haynes, K. G., 208
Heed, W. B., 30
Helmkamp, R. C., 51
Hermes, J. C., 222
Hickok, L. G., 146
Hildebolt, C., 51
Hoey, M. T., 393
Honeycutt, R. J., 123

I

Iannuzzi, L., 78, 80
Imaoka, K., 413
Iwanaga, M., 462

J

Janczewski, D. N., 375
Jauhar, P. P., 156
Johnston, E., 222
Jouve, N., 211

K

Kalat, M., 468
Kaloshian, I., 170
Keathley, D. E., 443
Keil, C. B., 72
Kiang, Y. T., 402, 488
King, S. W., 58
Knapp, S. J., 234, 351, 407
Koehler, S. M., 480
Kohel, R. J., 131
Komatsu, M., 413
Konigsberg, L., 51
Kowalski, S. P., 475
Krchma, L. J., 331
Krueger, S. K., 351

L

Labrador, M., 83
Lacy, R. C., 257
Ladygina, T. Yu., 91
Lagudah, E. S., 25
Lambrou, M., 468
Lane, P. W., 43
Lee, F.-M., 313
Leslie, J. F., 189
Lessios, H. A., 490
Lin, B.-Y., 359
Linde, D. C., 134
Liu, B.-H., 407
López Alonso, D., 234
Lyrene, P. M., 198

M

Maciulis, A., 227
Mansur, L. M., 407
Marquette, K., 359
Mason, C. E., 72
Matsumine, H., 107
Matthews, B. F., 480
Matthews, T. C., 101
Mayr, B., 468
McDaniel, R. G., 87
McKnight, T. D., 365
McLean, M., 341
McPhaul, M. J., 107
Meagher, R. B., 341
Mengesha, M. H., 159
Mertens, T. R., 153
Michaelson, M. J., 365
Mikami, H., 413
Mitchell, R. M., 227
Montagutelli, X., 490
Moreno Ruiz, J. A., 234
Morrow, K. J., Jr., 58
Moynihan, M. R., 214
Mukai, Y., 290
Munstermann, L. E., 101
Murfet, I. C., 201
Murnane, R. D., 245
Mutschler, M. A., 214

N

Narbuth, E. V., 131
Naveira, H., 83
Navot, N., 162
Nelson, K., 238
Nelson, R. L., 404
Ness, B. D., 168
Newhouse, K. E., 123
Nicolas, P., 491

O

O'Brien, S. J., 375
Orjeda, G., 462
Owens, M., 222

P

Palmer, R. G., 123, 296, 404
Parish, S. M., 245
Parks, C. R., 317, 393
Patra, N. K., 347
Pavlick, E. J., 238
Peck, T., 399
Peloquin, S. J., 371
Perl, A., 438
Perucatti, A., 78
Price, H. J., 365
Prieur, D. J., 245
Provvidenti, R., 143

Q

Qiu, Y. L., 317
Qumsiyeh, M. B., 58, 111

R

Raftos, D. A., 96
Rajagopal Reddy, C., 159
Rajora, O. P., 301
Raska, D., 365
Reid, J. B., 201
Ritland, K., 235
Roberts, P. A., 170
Robinson, A. D., 399
Roehrdanz, R. L., 66
Roelfs, A. P., 134
Ross, J. J., 201
Ruiz, A., 30

S

Saideswara Rao, Y., 159
Sallee, P., 359
Sarfatti, M., 162
Satoh, M., 143
Saul, S. H., 75
Schaff, D. A., 480
Scheuring, C. F., 365
Schleger, W., 468
Schlitter, D. A., 58
Schnabel, A., 230
Schwink, K., 323
Sewell, M. M., 317
Shahla, A., 127
Shands, H. L., 7
Sheley, S. M., 153
Showers, W. B., 72
Siegel, P. B., 217
Simak, E., 323
Sit, K. H., 428
Skorupska, H. T., 296
Slinkard, A. E., 455, 484
Soltis, D. E., 168
Soltis, P. S., 168
Somes, R. G., Jr., 107
Sponenberg, D. P., 323
Steffens, J. C., 475
Stelly, D. M., 193, 365, 404
Stine, M., 443
Stipanovic, R. D., 447
Suárez, J. C., 407
Suttle, D. P., 111

T

Talbert, L. E., 397
Teed, S. K., 309
Thomason, I. J., 170
Tingey, W. M., 475
Tripathy, N. K., 166, 205
Troyer, A. F., 17
Tsuchiya, T., 127
Tyagi, B. R., 401

V

Vandenberg, A., 484
Vannier, M., 51
Vaughan, K. C., 146
Vogt, D. W., 165
Vrijenhoek, R. C., 418

W

Waines, J. G., 170
Walters, T., 214
Wang, S., 206
Waples, R. S., 267, 277
Warne, T. R., 146
Wasserman, M., 30
Weir, B. S., 174
Wendell, J. F., 317
Werner, J. E., 371
Wilson, J. D., 107
Woolf, C. M., 250
Wright, R. W., 245

Y

Youngquist, R. P., 165

Z

Zallen, D. T., 409
Zamir, D., 162
Zink, F. W., 210

Title Index

A

Additional sterile mutations in soybean, *Glycine max* (L.) Merr., 296

Allozyme variation among populations of the Hessian fly (*Mayetiola destructor*) in the United States, 331

Apyrene spermatogenesis in *Ostrinia nubilalis* (Hubner): obligate and facultative diapausing strains, 72

C

C-banding karyotype of *Hyoscyamus muticus* L., 401

Characterization of deficiencies generated by *r-X1* in maize, 359

Characterization of heterochromatin by sequential counterstain-enhanced fluorescence in three domestic bird species: *Meleagris gallopavo, Columbia livia domestica,* and *Anser anser* L., 468

Charles Darwin in Australia (book review), 497

Chromosomal location of genes encoding a leaf phosphatase and a cathodal peroxidase in wild barley (*Hordeum chilense*), 211

Chromosomal location of the Hessian fly resistance gene *H20* in 'Jori' Durum wheat, 71

Chromosomal and protein evolution in morphologically similar species of *Praomys sensu lato* (Rodentia, Muridae), 58

Coat color genetics of *Peromyscus.* I. Ashiness, an age-dependent mutation in the deer mouse, 309

Comparison of leaflets and tendrils in wild-type and homeotic mutant morphs of pea by two-dimensional electrophoresis of proteins, 117

Complementary action of genes for Hessian fly resistance in the wheat cultivar 'Seneca', 224

A computer program for calculating the population size necessary to recover any number of individuals exhibiting a trait, 407

Conservation genetics of Pacific salmon. II. Effective population size and the rate of loss of genetic variability, 267

Conservation genetics of Pacific salmon. III. Estimating effective population size, 277

Covariances between diploid parent and tetraploid offspring in tetaploid × diploid crosses of *Solanum tuberosum* L., 208

Cytoplasmic mutants from seed mutagenesis of *Brassica campestris* with NMU, 214

D

Double insertion of homogeneously staining regions in chromosome 1 of wild *Mus musculus musculus*: effects on chromosome pairing and recombination, 91

E

Endocrine genes: analytical methods, experimental approaches, and selected systems (book review of *Endocrine Genes*), 238

Evidence for frequency-dependent selection (book review of *Frequency-Dependent Selection*), 239

Evolution of arginine kinase within the genus *Drosophila,* 177

Evolution of the avocados as revealed by DNA restriction fragment variation, 183

Evolution of the *mojavensis* cluster of cactophilic *Drosophila* with descriptions of two new species, 30

F

Fat (*fat*) and tubby (*tub*): two autosomal recessive mutations causing obesity syndromes in the mouse, 424

Foundations of human genetics (book review of *The Foundations of Human Genetics*), 409

G

G-banded chromosomes of the Gansu argali (*Ovis ammon jubata*) and their implications in the evolution of the *Ovis* karyotype, 227

GENE-LINK: a program in PASCAL for backcross genetic linkage analysis, 490

Genetic analyis in six telotrisomic lines in barley (*Hordeum vulgare* L.), 127

Genetic basis of histocompatibility in the solitary urochordate *Styela plicata,* 96

The genetic basis of isozyme variation in the bean rust fungus (*Uromyces appendiculatus*), 134

Genetic control of isozyme variation in the genus *Liriodendron* L. (Magnoliaceae), 317

Genetic and germ plasm stocks worth conserving, 11

Genetic mapping of the *Adh* locus in the *Repleta* group of *Drosophila* by *in situ* hybridization, 83

Genetics of allozymes in *Populus deltoides* Marsh., *P. nigra* L., and *P. maximowiczii* Henry, 301

Genetics of allozyme variation in *Cuphea laminuligera* and *C. lutea,* 351

A genetic sexing system to improve the sterile insect technique against the Mediterranean fruit fly, 75

Genetics of the expanding poultry industry (book review of *Poultry Breeding and Genetics*), 494

The genetics of host-pathogen coevolution: implications for genetic resource conservation, 1

Genetics and linkage of three chlorophyll-deficient mutants in soybean: *y19, y22,* and *y23,* 404

Genetics of seed coat color and pattern in lentil, 484

Genetics of white sheath and bleached leaf mutants in pearl millet, 159
GMENDEL: a program for Mendelian segregation and linkage analysis of individual or multiple progeny populations using log-likelihood ratios, 407

H

Hartl on hemlines (book review of *Principles of Population Genetics*), 174
Hereditary C8α-γ deficiency associated with dwarfism in the rabbit, 413
Heritability of brain size and surface features in rhesus macaques (*Macaca mulatta*), 51
Heritability of liability to cystic ovary development in Holstein cattle, 165
HOMAL: a computer program for selecting adequate data transformations, 173

I

An improved characterization of cattle chromosomes by means of high-resolution G- and R-band comparison, 80
Improvement of "A BASIC Program to Construct Evolutionary Trees from Restriction Endonuclease Data" with the use of PASCAL, 491
Inbreeding depression in insular and central populations of *Peromyscus* mice, 257
Influence of pollen variety on raspberry (*Rubus idaeus* L.) development, 434
Inheritance of a delayed lethal mutant in muskmelon, 210
Inheritance of the henny feathering trait in the Golden Campine chicken: evidence for allelism with the gene that causes henny feathering in the Sebright Bantam, 107
The inheritance of the leopard complex of spotting patterns in horses, 323
Inheritance and linkage analysis of a new fiber mutant in cotton, 131
Inheritance and linkage of isozyme coding genes in chickpea, 455
Inheritance and linkage studies of a variegated leaf mutant in soybean, 123
Inheritance of a major gene for excessively lustrous wool in sheep, 220
Inheritance of an ovine lysosomal storage disease associated with deficiencies of β-galactosidase and α-neuraminidase, 245
Inheritance of polyphenol oxidase in type A glandular trichomes of *Solanum berthaultii*, 475
Inheritance of resistance to pea mosaic virus in *Pisum sativum*, 143
Inheritance of resistance to root-knot nematodes in *Aegilops squarrosa* L., 170
Inheritance and two mechanisms of 2n egg formation in 2x potatoes, 371
In situ hybridization of β-tubulin to alfalfa chromosomes, 480
Internode length in *Lathyrus odoratus* L.: the expression and interaction of genes *L* and *Lb*, 201
Isozyme inheritance in the genus *Liquidambar* L., 393
Isozyme variability in four diploid stone fruits compared with other woody perennial plants, 68

L

Larval pigmented head capsule, a sex-linked recessive mutant in *Culex quinquefasciatus*, 205
Linkage analysis of *Pgd1*, *Pgi1*, pod color (*L1*), and determinate stem (*dt1*) loci on soybean linkage group 5, 402
Linkage maps for 20 enzyme loci in *Aedes triseriatus*, 101
Linkage relationships of genes affecting bitterness and flesh color in watermelon, 162
Localization of the adenosine deaminase, transferrin, and UMP synthetase genes on Chinese hamster chromosomes 4 and 6 by *in situ* hybridization, 111
Localization of the Le_2 locus of cotton (*Gossypium hirsutum* L.), 193

M

Maintenance of heterozygosity during selective breeding of oysters for resistance to MSX disease, 418
Mapping the alcohol dehydrogenase locus (*Adh1*) in soybean linkage group 8, 488
Maternal inheritance of the chloroplast genome in *Heuchera* and *Tolmiea* (Saxifragaceae), 168
Maternal inheritance of a Y chromosome in *Heliothis* could play a role in backcross sterility, 66
A maternally expressed nuclear gene controlling perithecial pigmentation in *Gibberella fujikuroi* (*Fusarium moniliforme*), 189
Meiotic behavior and effects of B chromosomes in tall fescue, 156
Mitomycin C–induced sister chromatid exchange in X chromosomes of Bovidae, 78
Molecular cytogenetic mapping of a nucleolar organizer region in cotton, 365
Molecular genetic divergence of orang utan (*Pongo pygmaeus*) subspecies based on isozyme and two-dimensional gel electrophoresis, 375
Morphophysiology and genetics of induced mutants expressed in the M_1 generation in opium poppies, 347
The mouse mutation ulnaless on chromosome 2, 151
Multifactorial inheritance of common white markings in the Arabian horse, 250

N

A new chondrodystrophy mutation in Japanese quail (*Coturnix japonica*), 222
Nonassociation between a three-style pistil characteristic and apomixis in oat, 478
Nonrandom associations between sex and 6-phosphogluconate dehydrogenase isozyme genotypes in *Gleditsia triacanthos* L., 230

P

Pachytene chromosome inversion loops with misaligned and paired centromeres: their significance in pigeonpea × *Atylosia acutifolia* hybrids, 139
Patchy fur (*Paf*), a semidominant X-linked gene associated with a high level of X–Y nondisjunction in male mice, 43
Paternal inheritance of plastids in Engelmann spruce × blue spruce hybrids, 443
Patterns of variation for seed proteins in the *Pennisetum* gene pool, 25
PHYLO: a cluster analysis program, 87
Physical mapping of the 5S rRNA multigene family in common wheat, 290
Plant genetic resources conservation: the role of the gene bank in delivering useful genetic materials to the research scientist, 7
A polymorphic protein character of red blood cells (EP-1) in domesticated and wild sheep, 206
Postmeiotic mitosis in chives, 399
Production of 2*n* pollen in diploid *Ipomoea trifida*, a putative wild ancestor of sweet potato, 462
A program for calculating Nei's genetic distances and their jackknifed confidence intervals, 490
Program in PASCAL for computing unbiased Wright's *F* statistics, Nei's gene diversity, and Nei's genetic distance indices, 234
Programs for mapping quantitative trait loci using flanking molecular markers, 234
Protoplast-fusion-derived CMS potato cybrids: potential seed-parents for hybrid, true-potato-seeds, 438

R

Reproductive fitness in selected lines of chickens and their crosses, 217
A retrospective view of corn genetic resources, 17
Rheumatic fever susceptibility in four ascertainments: regressive segregation on a geometric ascertainment pattern, 428

S

A series of FORTRAN computer programs for estimating plant mating systems, 235
Six actin gene subfamilies map to five chromosomes of *Petunia hybrida*, 341
Somatic hybridization between *Nicotiana sylvestris* and *N. otophora* without the application of selection, 313
Structural analysis and inheritance of a clumped-chloroplast mutant in the fern *Ceratopteris*, 146
A survey of introductory college genetics courses, 153

T

Terpenoids in foliar pigment glands of A, D, and AD genome cottons: introgression potential for pest resistance, 447
Tetrasomic inheritance of an irregular dwarf trait in tetraploid alfalfa, 397
Twin seedlings and haploids in blueberry (*Vaccinium* spp.), 198

X

An X-linked recessive mutation producing cleft palate, crooked tail, and polydactyly in mice, 388

Y

Yellow larva: a recessive autosomal mutant in *Culex quinquefasciatus*, 166